

# Shoprider 779XLS



# Shoprider 779XLS



# Shoprider 779XLS





# Technical specifications\*

- Dimensions (L<sup>1</sup>xWxH): 1620 x 755 x 1390 mm
- Tire size (front & rear): 3 x 16"
- Total weight: 141 kg (with 75Ah batteries, armrests, seat, etc.)
- Max. user weight: 185 kg (on road level)
- Battery capacity: 12V 50Ah x 2 (75Ah optional)
- Charger: 8A Off-board
- Rated power (4-pole): 750 W (reference only)
- Max. speed<sup>2</sup>: ~ up to 19 km/h (on road level)




# Technical specifications\*

- Suggested climbing angle<sup>3</sup>: see illustration
- Max. range<sup>4</sup>: 61 km (after the 75Ah batteries and mechanical moving parts fully break in, tested with 75kg weight including tester & dummy)
- Turning Radius: 1582 mm
- Suspensions: Yes (front/rear)
- High / Medium / Low speed: Yes
- Full Lights (Head/F&R Turning/ Tail): Yes (LED)
- Handle Bar Type: T-Bar
- Handbrake: Yes

# Technical specifications\*

Climbing angle illustration:



\*The manufacturer and supplier reserves all rights to change the wording and specification without prior notice. Provided data are based on the time when tested.

<sup>1</sup> Including Anti-tip wheels (excluding front basket)

<sup>2</sup> Driver weight may exceed weight of the unit, speed must be reduced when turning.

<sup>3</sup> When proceeding up any incline, please move your seat to the most forward position or if you have the deluxe seat, make sure that it is in the 90 degree (upright) position.

<sup>4</sup> The actual driving range varies with the factors shown as below.

- (1) the weight of occupant
- (2) ground level / gradient
- (3) battery conditions
- (4) type of charger
- (5) ambient temperature
- (6) the way of driving
- (7) terrain
- (8) etc.